



Product Catalogue
GST10 Series



GST10 Series

500x500mm
500x1000mm

Technical parameter* T = Outdoor

Model	P2.6	P2.97	P3.91	P2.97T	P3.91T	P4.81T
LED Type	SMD1515	SMD1515	SMD2121	SMD1415	SMD1921	SMD1921/SMD2525 can choose
Pixel Pitch (mm)	2,6	2,976	3,906	2,976	3,906	4,807
Pixel Density (dots/m)	147,456	112,896	65,536	112,896	65,536	43,264
Module Size (mm) Module	250*250	250*250	250*250	250*250	250*250	250*250
Resolution (dots)	96*96	84*84	64*64	84*84	64*64	52*52
Cabinet Size (mm)	"500*500*85 / 500*1000*85"	"500*500*85 / 500*1000*85"	"500*500*85 / 500*1000*85"	"500*500*85 / 500*1000*85"	"500*500*85 / 500*1000*85"	"500*500*85 / 500*1000*85"
Cabinet Weight (KGs)	8.5/13.0	8.5/13.0	8.5/13.0	8.5/13.6	8.5/13.6	8.5/13.6
Refresh Rate (HZ)	3840	3840	3840	3840	3840	3840
Brightness (CD/m) Average	600-1000	600-1000	600-1000	4500-5000	4000-5300	3500-5300
Power (W/m) Driving	250	250	250	300	300	300
Method	1/32s 1/16S	1/28s	1/16s	1/14S	1/16S	1/13S
Viewing Angles (H/V) IP rate	160/160°	160/160°	160°/160°	120/120°	120°/120°	120°/120°
Working Humidity (RH)	IP30	IP30	IP30	IP65	IP65	IP65
Working Temperature (°C)	10%-60%		10%-90%			
Installation Types	-40°C ~ +80°C					
	Sitting/Floor/Lifting/Arc/Special-shaped/Right Angle					

HARDWIRED DESIGN

Independent control box
+ hot plug and play

ALL ENVIRONMENT

Indoor/outdoor/floor/curved allowed

CURRENT-SHARING FOR POWER BACKUP

No black screen phenomenon when power
interrupted + signal backup

Brand-new GST10 series is rocked dazzling

Size: 500x500mm Size: 500x1000mm

GST10

GST10 series products include indoor and outdoor applications. Under the criterion of fast installation, its control box, HUB board, receiving card and modules are all used hardwired connection for quick removed and plug-in. It features with all rental led display's necessary processes including full-viewing mask, current-sharing for power backup, anti-collision PCB board and so on.


GST10 Series

Start from the precise design of rental application

The entire GST10 series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications

LATEST TECHNOLOGY OF ANTI-COLLISION

PCB anti-collision welding plate
4 groups of data transmission are adopted



THE DESIGN OF GST10 SERIES SPLICING WITH EACH OTHER

500*500mm & 500*1000mm cabinets can
either splicing with each other, or dislocated
splicing for more creative displaying

GST10 Series

Start from the precise design of rental application

The entire GST10 series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications

Continuous Signal

signal backup by two network ports to assure activity easily




NEVER WORRYING ABOUT SCREEN IN BLACK
WITH POWER BACKUP DESIGN

500*1000mm compatible design,
more flexible scheme


GST10 Series

Start from the precise design of rental application

The entire GST10 series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications



-----INTEGRATED MODULAR DESIGN-----



GST10 Series

Start from the precise design of rental application

The entire GST10 series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications

OVERVIEW OF INSTALLATION MODE

Hanging to install

max height <10m



OVERVIEW OF INSTALLATION MODE

Stacking to install

max height <10m



OVERVIEW OF INSTALLATION MODE

Floor Installation

Use fixed fittings



GST10 Series

Start from the precise design of rental application

The entire GST10 series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications

Indoor



Outdoor



Floor



PRODUCT ACCESSORIES


*optional accessories



Power cable



Signal cable



Hanging beam*



Video processor*



Back rack*